BILL NO. S-81-02- 02

1

2 3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18 19

20

21

22 23 24

25 26 27 SPECIAL ORDINANCE NO. S- 4/-8/

AN ORDINANCE approving Civil City Purchase Order No. A-000556 with Allen County Ford Motors, Inc. for one vehicle for the Street Department.

BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

SECTION 1. That Civil City Purchase Order No. A-000556 dated January 20, 1981, between the City of Fort Wayne, by and through the City Purchasing Director and the Board of Public Works and Allen County Ford Motors, Inc., for the purchase of one dump truck with a "V" spreader and snow plow to be used in the Street Department at a cost of \$46,615.84, all as more particularly set forth in said Purchase Order, which is on file in the Office of the Department of Purchasing and is by reference incorporated herein and made a part hereof be and the same is in all things ratified, confirmed and approved.

SECTION 2. That this Ordinance shall be in full force and effect from and after its passage and approval by the Mayor.

APPROVED AS TO FORM AND LEGALITY FEBRUARY 5, 1981.

28 29

30

31 32

Read the first time in full and o seconded by title and referred to the Committee Plan Commission for recommendation) and due legal notice, at the Council Chambe Indiana, on 19 the	n motion by uly adopted, read the second time (and the City Public Hearing to be held after rs, City-County Building, Fort Wayne, day of at O'Clock M.,E.S.T. CHARLES W. WESTERMAN CITY CLERK
Read the third bime in full and or	motion by I Defmeth
Seconded 21	, and duly adopted, placed on its
passage. PASSED (LOST) by the follo	owing vote:
AYES NAYS	ABSTAINED ABSENT TO-WIT:
TOTAL VOTES 8	
BURNS	
EISBART 💢	7
GiaQUINTA	
NUCKOLS X	
SCHMIDT, D.	× .
SCHMIDT, V.	
SCHOMBURG	**************************************
STIER 💢	
TALARICO	
DATE: 2-24-8/	CHARLES W. WESTERMAN - CITY CLERK
Passed and adopted by the Common (Council of the City of Fort Wayne,
Indiana, as (ZONING MAP) (GENERAL)	(ANNEXATION) (SPECIAL)
(APPROPRIATION) ORDINANCE (RESOLUTION	12 No. S-41-81.
on the 24th day of The	asians, 1981.
ATTEST: LINE W. WESTERMAN - CITY CLERK	John Juckolas PRESIDING OFFICER
Presented by me to the Mayor of the	ne City of Fort Wayne, Indiana, on
the 25th day of Alm. // 30'clock A. M., E.S.T.	19 fl, at the hour of
	CHARLES W. WESTERMAN - CITY CLERK
Approved and signed by me this	
19 8 , at the hour of 4 o	clock M.,E.S.T.
	WINFIELD C. MOSES, JR.

MAYOR

BILL NO. S-81-02-02	
REPORT OF THE COM	MMITTEE ON FINANCE
WE, YOUR COMMITTEE ON Finance	TO WHOM WAS REFERRED AN
ORDINANCE approving Civil City Pur	
	ne vehicle for the Street Departmen
	me venicle for the street Departmen
- 0.77	
2 1	b
*	-
*	
-	
HAVE HAD SAID ORDINANCE UNDER CONSI	DERATION AND BEG LEAVE TO REPORT
BACK TO THE COMMON COUNCIL THAT SAIL	. 1
BACK TO THE COMMON COONCIL TIME DATE	
VIVIAN G. SCHMIDT, CHAIRMAN	Viran J. Lahmidt
	Our Islan
JAMES S. STIER, VICE CHAIRMAN	Jun I store
MADY D. Gi-OVENE	Mark (In Sunta)
MARK E. GiaQUINTA	Than Ad Minias
PAUL M. BURNS	level money.
ROY J. SCHOMBURG	Roladon
	CONCLIBBED IN

DATE 2/24/8/ CHARLES W. WESTERMAN, CITY CLERK

ÉB SY THE CLLY OI TOIL WOYIC 100 FEB PARTMENT OF PURCHASES DEPARTMENT OF PURCHASES ULTIES AND NUMBER ONE EAST MAIN STREET, ROOM 940 AVWIE 1980 FORT WAYNE, IN 46802

MAIL ALL CORRESPONDENCE, CLAIM VOUCHERS, ETC., TO:

Street Department 1701 S. Lafayette Street Fort Wayne, IN 46803 880

Allen County Motors 2300 W. Jefferson Fort Wayne, IN 46804 ---

DELIVED TO DEDADT

CITY CONTROLLER

PER

ACCEPTANCE OF GOODS OF PERFORM

Same as above

CITY UTILITIES

1/20/81

DATE

REQ. NO.

A-000556 1/21/86

00001/0-101-10

THE ABOVE INFORMATION MUST APPEAR ON ALL INVOICES, BILLS OF LADING, DELIVERY TICKETS, PACKAGES AND CORRESPONDENCE.

INVOICE IN DUPLICATE

AND FUND NUMBER 4-02-134-010-4001

CASH DISCOUNT TERMS % IF PAID WITHIN DAYS FROM DELIVERY AND

QUANTITY TOTAL	MATERIALS, SUPPL	CES. (DEDUCTION FOR DISCOUNT	SHOWN BELOW) COOO55	6 MI JUNIT PR	N/A IGE AMOUNT
ORDERED UNIT		TAX EXEMPT (UNLES	S OTHERWISE INDICATED)		Amount
I EA	SHALL INCLUE	980 HEAVY DUTY DUE DE THE FOLLOWING: FRONT MOUNTED SNO	MP TRUCK	and the second s	46615.84
[='	HYDRAULIC "V CRANKSHAFT; INCLUDING DU	" BOX MATERIAL SI P.T.O. HYDRAULIC JMP BODIES, FUEL DKS, 10 FOOT DUMP	PREADER, SYSTEM, FANKS,		
		SCRAPER, ALL MOUN			
- ,	ALL P.O. SPE BID #966	EC. S FECIFICATIONS	S ON	e i viene v	
	SUBJECT TO C	COUNCILMANIC APPRO	DVAL		
- 45-		The state of the s			
- 4984	EOD INFORMAT	TION: APPON CHICA	2010 427 707	TOTAL	ACCLE DA
COMPLIANCE WITH THE DELIVERY DATE RE- OUESTED WILL AVOID FOILOW UP CORRE- SPONDENCE.	UNLESS OTHERWISE INDI- CATED THE PRICES SHOWN INCLUDE ALL CHARGES FOR DELIVERY, PACKING, ETC, NECESSARY TO COM- PLETE DELIVERY TO DES- TINATION SPECIFIED.	NOTE READ INSTRUCTIONS ON THE BACK OF THIS ORDER	THE CONTRACTOR OR VENDOR BY ACCEPTING THIS ORDER, AGREES TO THE GENERAL CON- DITIONS AND TERMS OF AGREE- MENT ON THE BACK OF THIS OR- DER.	UNLESS OTHERWISE INDICTHE PRICES SHOWN DO N CLUDE TAXES OF ANY KIN EXEMPTION BLANKS WIL FURNISHED WHEN NECE INDIANA SALES TAX EXEM CERTIFICATE NUMBER 034508-03	L BE SSARY TTON KINDLY RETURN TWITH AN EXPLANA- TION.
I HEREBY CERTIFY THAT BY UNENCUMBERED E ITURE THEREFORE HA	AT THE COST OF THE ABOY BALANCES IN THE ABOYE I S BEEN DULY AUTHORIZED	VE PURCHASE IS FULLY COVE FUNDS AND THAT THE EXPE O AND APPROPRIATED.	ND- I HEREBY CERTIFY UPON N AUTHORIZED BY A PROPE IN THIS OFFICE.	AY OWN PERSONAL KNOW RLY EXECUTED AND APP	WLEDGE THAT THIS ORDER IS ROVED REQUISITION ON FILE

PER

DIRECTOR OF PURCHASES

COMPUTATION OF BIDS FID REF. 966-G CLOSING DATE 12-17-80	Dump Body Alternate #2	Spreader	Chassis	
Indiana Equipment Co. 414 W. Coliseum Fort Wayne IN	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL S LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LISS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

COMPUTATION OF BIDS BID RMF. 966-G CLOSING DATE 12-17-80	dump truck/body	Hydraulic spreader	Front mounted snow plow	Underbody scraper Alternate
Indiana Equipment Co. 414 W. Coliseum Blvd.	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
•	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC . TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

COMPUTATION OF BIDS		1	1	
PID RMF. 966-G CLOSING DATE 12-17-80	Dump Body Alternate #2	Spreader Alternate #3	Chassis	Pentrali. Leg dralie
Delphi Body Works P.O. Box 30 Delphi IN	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Hite Equipment & Repair 1321 W. Jefferson Plymouth IN 46563	TOTAL \$ LESS TAX LESS TRADE: LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Ernst Truck Equip. 2727 McDonald Port Wayne IN 46803	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 359.8/	LESS TRADE	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL /4.50.00
7.A. Jones & Son P.O. Box 450 Columbia City IN 46725	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
oosier Truck Equip. 733 U.S. 30 East ort Wayne IN 46803	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
eneral Truck Sales (GMC) 100 N. Broadway uncia IN 47302	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

COMPUTATION OF BIDS BID REF. 966-G CLOSING DATE 12-17-80	dump truck/body	Hydraulic spreader	Front mounted snow plow	Underbody snow scraper Alternate #1
Nelphi Body Works P.O. Box 30 Delphi IN	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Ernst Truck Equip. The Jose 2727 McDonald hed book Fort Wayne IN 46803 Derfection Lody	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 2732.79	TOTAL.S LESS TAX LESS TRADE LISS DISC TOTAL \$\frac{379.00}{2}0	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 373875	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 4/7/8.07
W.A. Jones & Son	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	LESS TRADE	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
5733 U.S. 30 East	LESS TRADE	LESS TAX LESS TRADE LESS DISC	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
4100 N. Broadway Muncie IN 47302	LESS TAX LESS TRADE LESS DISC	LESS TAX LESS TRADE LESS DISC	LESS TAX LESS TRADE LESS DISC	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

PID REF. 966-G CLOSING DATE 12-17-80		Spreader Alternate #3	Chassis	
Allen County Motors 2300 W. Jefferson Fort Wayne IN 46804	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 28524.7/	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Hefner Chevrolet 500 East State Fort Wayne IN 46805	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
General Truck Sales 5905 U.S. 30 East Fort Wayne IN 46805	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
International Harvester 333.S. Clinton Fort Wayne IN 46802	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Truck Engineering Co. 3200 E. Pontiac Fort Wayne IN 46803	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Deeds Equipment 8015 E. 45th Street Lawrence IN	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 5065.00	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 3883.00	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

CONDITATION OF BIDS FID REF. 966-G CLOSING DATE 12-17-80	dump truck/body	Hydraulic spreader	Front mounted snow plow	Underbody snow scraper Alternate #1
FPOR NCOR. CE 7377 Allen County Motors 2300 West Jefferson Fort Wayne IN 46804 Jack 1281	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Hefner Chevrolet 500 East State Fort Wayne IN 46805	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
General Truck Sales 5905 U.S. 30 East Fort Wayne IN 46805	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL.\$ LESS TAX LESS TRADE LUSS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
More Nove Sindand International Harvester 333 S. Clinton Fort Wayne IN 46802 1981 # 1854	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 4// 3/38'9	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 4720.00
Truck Engineering Company 3200 East Pontiac Fort Wayne IN 46803	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Deeds Equipment 8015 East 45th Street Lawrence IN M/M Me/onc	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

Memorandum

.6/	To Board of Works Date	1/20/81
	From Aaron M. Gluck	1 4
	Clar Bid Reference #966-G	

COPIES TO:

Attached are copies of Bids received for One (I) Dump Truck with "V" Spreader and Snow Plow for the Street
Department. Purchase Order Number A-000556 has been 46, 615. assigned to Allen County Motors.

Of the Bids received, Allen County Motors included. all items specified and resulted in submitting the lowest and best Bid.

Due to the current work load and weather conditions, we are asking that a "Prior Approval" be given so as to order the above equipment.

Please include the attached supporting information when this ordinance is submitted to City council for Prior Approval. Also, please insure that no confirming Purchase Order Number is given to Allen County Motors until Purchasing receives written confirmation of Council Approval.

Gluck - Director of Purchases

H Prior app

CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind. 46802

INVITATION Quotations, subject to the conditions on the reverse bernot, are requested on the following list of

manerials, supplies, equiposest or services, for the department as mentioned, with delivery to declination as shown below. Contactions shall include all charges for delivery, pecking, etc. Andrews your reply as

*Mall all region and Att. of Aaron M. Gluck 423-7037 DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, ind. 46802 REQUIRED FOR DELIVERY TO:

Street Department or Division 1701 South Lafayette Street

Department

Fort Wayne, IN 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE Closing

Wednesday, December 17, 1980 at 2:30 PM Time of Bids. TAKES; THE CITY IS KINNET TSOM FIDERAL EXCISE AND INDIANA STATE SALES TAX. THE CITYS INDIANA SALES TAX EXCEPTION
CENTIFICATE NUMBER IS NO. 1878. PRICES SECULD NOT INCLUDE THESE TAXES, Son "Indications to Edden" No. 10 on present derical for Godile.

-	Unit	Materials, Jappilos, Agulyment of Secricus	Unit Price	Total America
		One (I) New 1980 Single Axle Heavy Duty Dump Truck, Front Mounted Snow Plow, Hydraulic "V" Box Material Spreader, Crankshaft, P.T.O. Hydraulic System, Including Dump Bodies as per attached specifications.		
		Alternate #1 One (1) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications.		
		Alternate <u>\$2</u> One (I) New Dump Body with Length of 15 Ft, as per attached specifications.		
0		Alternate ∉3 One (1) or Two (2) Hudraulic "V" Box Material Spreaders as per attached specifications.		
		All Specification & Questionnaires must be fully completed for Consideration.		
- 1		Affirmative Action: On File: Attached:		

_days from delivery and acceptance of goods or completion of a

PROPOSAL OR BID

In compliance with the above invitation for bilds and rabbes to all conditions thereof, the underdayed other and agrees, if this bild be asserted within a reasonable time from case of circles, to furnish any one slifed the incars or tracker rock services upon which prices are quoted, in accordance with the medications applying and at the gross services are likes. Delivery of any or all of the items or completion of services indicated shall be made within_days from receipt of order 2

:

2300 West Jefferson Blvd.

Page 1 of 22

Data December 4, 1980

Date wanted Dec. 17, 1980

Ref. No. 966-G


Appropriation No.

Fund

Co Fort Wayne Indiana 46804 Des 12-17-80

CONTRACTOR BODY - TANDEM AXLE

Hoist & Body Package - Standard Specifications 16' BODY



16' x 7'3"	13-15 Yard - Contractor Body Package	126" - 138" C.T

CAB SHIELD (optional)

FLOOR

HEADER

TAILGATE :

RUB RAII SIDES

CROSS MEMBERS

LONGITUDINALS

HARDWARE TAIL HINGE

HOIST

16' x 7'3"

PUMP

SERVICE SAFETY PROP

8 gauge - 87" wide x 1/4, 1/2, etc. - Weld-on type

10 gauge - "High Strength" Steel Two "V" Stiffner braces - 10 gauge - 44" height

Single Acting - Two horizontal braces - 10 gauge - 44" height Sloping - CONTINUOUS WELD

Six braces, 6-1/4" wide + one end brace 13" - 10 ga. - 36" height - boxed top rail 12 each - 4" depth - 14-1/2" spacing - "I" beam 3.56 lbs, -

"C" channel - Welded - Gusseted 8" depth - 11.5 lbs. - "C" channel, structural Heavy duty

Heavy duty - 3/4" flame cut

Front mount 74135-H (T.B.E.A. Class 100 equivalent)

26 G.P.M. @ 1000 R.P.M. - 1500 P.S.I. One each

15-17 Yard - Contractor Body Package 138" - 144" C.T.

Same as 16' x 7'3" - 13-15 Yard except: 44" height SIDES . HEADER 52" height TAILGATE 52" height

** All bodies are primer painted and are equipped with M.V.S. #108 lights & reflectors.

** Specifications and prices are subject to change without prior notice.

DEEDS EQUIPMENT CO., INC. 8015 E. 45TH STREET LAVKENCE, INDIANA 46225



DEEDS EQUIPMENT COMPANY, INC.

CONSTRUCTION, MUNICIPAL, ROAD, & UTILITY EQUIPMENT

AFFIRMATIVE ACTION PROGRAM

Company President is our Equal Employment Opportunity Officer and will coordinate and advise staff members in non discrimination recruiting and promotion.

Further, to asure non descrimination in recruiting, all employment openings will be posted and advertised in newspapers with a circulation to reach minority applicants and encourage current employees to refer minority applicants.

To assure for advancement of all employees regardless of age, sex, national origin, color or religion. All job openings will be posted and applicants and employees may apply.

Any training schools or training programs offered by our suppliers in each respective area will be offered equally to all employees in their specific areas.

Assure nondiscriminatory pay, other compensation, and working conditions by periodically taking appropriate steps, such as;

- Examining rates of pay and fringe beneftis for present employees with equivalent duties, and adjusting any inequities found;
- Not reducing the compensation of existing employees with equivalent duties, and adjusting any inequities found;
- c. Advising all qualified employees whenever there is an opprotunity to perform overtime work.

In regard to demotion, layoff, or temination we require advance clearance of such actions through our company's Equal Employment Opportunity Officer.



One (1) New 1980 Single Axle Heavy Duty Dump Truck equipped complete with Front Bounted Snow Plow, Hydraulic "V" Box Material Spreader, and a Crankshaft P.T.O. Hydraulic System according to the Fort Wayne City Street Department Specifications. Any alternate maybe submitted for consideration.

1. Wheel Base - Approx. 160"

2. Cab to Axle - Approx. 84"

3. Front Axle Approx. 12000 Lb.

4. Front Springs Approx. 14000 Lb.

5. Rear Axle Approx. 23000 Lb.

6. Rear Springs Approx. 23000 Lb.

7. Auxiliary Springs Approx. 4000 Lb.

8. Brakes - Dual Air Brake system with spring actuated Park Brake

9. 12 or more C.F.M. Compressor

10 Tilt out front Hood with access hatches

11. Fresh Air Heater and Defrosters

12. Heavy Duty electric Windshield Wipers and Washers

13. Cab grab handles

14. Dual West Coast Mirrors

15. Air Horn

16. Bostrom Driver Seat

17. Individual Passenger Seat

18. Automatic Radiator Shutters

19. H.D. Radiator compatable with Engine spec.

80 Amp. Alternator

21. Dual 77 Amp. Batteries

22. Tachometer and Hour Meter

23. 6 Cylinder Diesel Engine - 210 H.P.

24. Alcohol Evaporator

25. Kysor Engine Protection Alarm system or equal

- 26. Horizontal Muffler with shielded vertical exhaust
- 27. H.D. full reinforced Frame
- 23. Front Mount Crankshaft P.T.O. with adapter
- 29. Extended front Bumper
- 30. Dual 50 Gal. Step Tanks with 23" ground clearance
- 31. Power Steering
- 32. 10:00 x 20 12 Ply M. & S. Rear Tires
- 33. M.T. 653 Dr. Allison Transmission or equal
- 34. Cast Wheel 7.50 Rims
- 35. Stemco type Seals front and rear
- 36. Service Manual
- 37. Line set ticket
- 38. 4 Heavy Duty Tow Hooks
- 39. Omaha Orange Color
- 40. Minimum 23" ground clearance for underbody
- 41. Blade installation

NOTE: Each attachment or componet of the unit shall be mounted independently of the other attachments. Each shall be mounted so that it does not interfere with the proper mounting or operation of the other attachments. No attachment shall interfere with any normal manintenance operation on the chassis.

Bidder to honor Warranty on vehicle and all equipment. Completed units to be F.O.B. Fort Wayne Street Department, 1701 South Lafayette Street, Fort Wayne, Indiana.

Bidders to state approximate date of delivery. A delivery date of 90 days is requested. Any delivery date in excess of the above must be submitted.

Specifications Questionnaire Bidders Proposal - Must be Completed By The Bidder

	Year: 1981 Make: Ford Model: L-8000
1.	Wheel Base: 174" This Wheelbase Better Adapted To Accommodate Equipment
2.	Cab to Axle: 96" Leaves Clearance At BAck Of Cab For Equipment
3.	Front Axle: 12,000#
4.	Front Springs: 7200# At Pad Each 14,400# Total Both Sides
5.	Rear Axle: 23,000# (r-170)
6.	Rear Springs: 11,640# Main Each 23,280 Total Both Sides
7.	Auxiliary Springs: 2250# Each 4500# Total
8.	Brakes: Dual Air Brake System, With Spring Actuated Park Brake, Maxi Park Brake Inclu
9.	Compressor: 12 Cu. Ft. Benix
LO.	Hood: Tilt Out Front With Access Hatches (Butterfly Hood)
11.	Fresh Air Heater and Defrosters: High Output
12.	Windshield Wipers and Washers: 2 (Two) Speed Electric Wiper & Washers
13.	Cab grab handles: Both Sides
L4.	Dual West Coast Mirrors: Yes
L5.	Air Horn: Dual Air Horns
L6.	Bostrom Driver Seat: WestcoasterII Low Back Mechanical Suspension Bostrum
١7.	Individual Passenger Seat: Bostrum Companion II Low Back
18.	Automatic Radiator Shutters: Kysor
19.	H.D. Radiator: Standard
20.	Alternator: 90 AMP Motorcraft
21.	Batteries: 3 (Three) Maintance Free 12 Volt 63 AMP/Hr.
22.	Tachometer and Hour Meter: Hobbs Hour Meter Tachometer Mechanical
23.	Diesel Engine: Caterpillar 3208 210HP V-8
24.	Evaporator: Alcohol
25.	Alarm system or equal: Kysor Shutdown With Lights & Alarm

Page 6 of 22

Leaves Better Room For Door Opening Muffler: Vertical Muffler At Back of Cab - NOTE: On Passenger Side: Moves Bot Exhaust Back. Reinforced Frame: 15.95M 110,000 PSI Crankshaft: Front Power Take Off 28. Bumper: Extended Front Frame and Bumper For Strength For Plow 29. Step Tanks: Dual Step 50 Gallon With 23" Ground Clearance (Body Company) 30. Power Steering: Yes 31. Tires: 10.00 x 20 12 Ply M&S Rear Tires All 4 (Four) 32. 33. Transmission: MT 653 Allison 34. Cast Wheel: 7.5 Rims

35. Seals: Stemco Front and Rear

36. Service Manual: Will Be Included

37. Line Set Ticket: Will Be Included

38. Tow Hooks: 2 (Two) Front Supplied By Dealer - 2 (Two) Rear By Body Company

39. Color: Omaha Orange

Minimum 23" ground clearance for underbody: As Per Specifications 40.

41. Blade installation: Per Body Company Attached Specs.

Dealer Warranty On Chassis Only. Company Who Installs Equipment On Chassis, Will Be Responsible For Equipment and Workmanship Added. Find Warranty Booklet Attached To This For Chassis Warranty.

Approximate Delivery Date Will Be 90 To 120 Days.

Net Price Chassis Only Net\$28,524.71

Add Any Body Company Attached.

Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	Year: 1980-81 Nake: CC Horman Model: CPH2 H-10'
1.	Body: 11 Hag 6.3 gd.
2.	Conveyor:
з.	Chain: Ital.
	13, Sheft, drive to 1 rutin of 13/2 Seller
4.	Spinner:
5.	Hydraulic System: Ass Hyd - To be heated To CENTRAL
	There is a service of the service of
6.	Drive: Std
7.	Accessories: III.
	See literature attached
	Spreader for Central
	Spreader for Central wy 517800

1-800.662 8778 John Wonser Page II of 22

Crankshaft P.T.O. Hydraulic System

The Central Hydraulic System Under These Specifications Shall Have The Following Minimum Specifications.

The hydraulic pump shall be capable of delivering a minimum of 26 G.P.M. at 2000 P.S.I. at normal truck engine speed. It shall be connected to the engine crankshaft pulley by a double universal splined shaft, or any other method approved by the truck manufacturer. A universal joint flange, a kit necessary for the connecting of the pump to the crankshaft pulley shall be furnished by the truck manufacturer. The truck manufacturer shall also furnish as part of the crankshaft P.T.O. Kit, a heavy duty front bumper extended a minimum of 9" forward of the radiator grill and a hood of such design so as to permit the installation of a front mounted snow plow and also the normal servicing of the truck engine.

A four section hydraulic bank valve having a minimum capacity of 29 G.P.M. at 2000 P.S.I. shall be installed outside the truck cab in such a manner so as to facilitate its servicing in a convenient manner. Control levers connecting to the bank valve shall be so installed in the cab at the drivers right side within a convenient reach of the driver or companion operator. The control levers shall be clearly marked so as to their function and each lever shall be easily disconnected at the bank so as to make each lever inoperative from the cab when it is so desired. The control levers shall be so adjusted so as to operate the front plow, underbody scraper and dump body. Provisions shall be made at the bank valve for power beyond to facilitate the installation of a spreader valve or any other hydraulic attachment of a similar nature. Each valve to be individually adjustable for pressure relief. A hydraulic 30 gallon oil reservoir tank of an approved type and of sufficient capacity shall be so installed to permit maximum cooling and convenient servicing. A replaceable 50 G.P.M. cartridge type oil filter with a 33 micron element shall be installed on the return line.

The hydraulic suction hose from the reservoir to the pump shall be a minimum 1 1/4" dia. with a 100R4 S.A.E. rating or better. The hydraulic pressure hose from pump to the valve bank shall be a minimum of 3/4" dia. with a 100P2 rating or better. The return hose to the reservoir and through the filter shall be a minimum 1" dia, with 250 P.S.I. rating or better. All lines shall be properly supported at all points and protected from chafing.

Any parts or components which are required for a complete operable hydraulic system shall be included.

All hoses, fittings, and component parts for connecting any hydraulic attachment such as the plow, scraper, dump box, etc., are to be supplied by the manufacturer of the particular attachment.

min: \$ 1450 2

Me Green . 319 352 5150

Front Mounted Snow Plow

The Snow Plow Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- Moldboard length 10 ft. -
- 2. Moldboard height 36 In. -
- Moldboard thickness 10 Ga.
- 4. Cutting edge 1/2 In. x 6 In. x 9 ft. Standard A.S.H.O. Punch 🕢 🗸 🗸
- 5. Number and thickness of ribs 8 ribs 1/8 In. x 3 In. 1/2 x 3
- 6. Bottom reinforcing angle 5/8 In. x 3 In. x 4 In. 3/5x4x4
- 7. Top reinforcing angle 3/8 In. x 2 1/2 In. x 2 1/2 In. 5/6x 2 x 2
- 8. Semi-circle 3/8 In. x 3 1/2 In. x 3 1/2 In. 1/2 x 3/2 x 3/2
- 9. Number and size of hinge points 4 of 1 In. dia. 4 1/4
- 10. Outside demension of hinge spread 77 In. min. 84"

- 11. Two H.D. adjustable trip springs in protective steel cylinders / 2 Compress w/
- 12. H.D. rubber snow shield

Warranty:

- 13. Screw adjustable ballbearing wheel with 4.80 x S In. 6 ply pneumatic tires on a // "Dir. swivel caster
- 14. Plow hydraulically adjustable to 7 plowing positions with 2 cylinder cab control

	(0 = 1/1)	r
2500 to 3000	(al. fiff) to the front bumper with a 34	- (Hunton)
The plow shall be mounted	to the front bumper with a 34	In. wide root quick hitch or
		ame. No attachment to the front
axle will be permitted. '	The plow hitch shall be operat	ed by its valve in the truck cab.

Less Tax: \$\frac{None}{s}\$

Less Discount: \$\frac{None}{s}\$

Less Discount: \$\frac{None}{s}\$

Less Discount: \$\frac{None}{s}\$

For non central hyd. add, \$\frac{1}{2}\$\tau_136

Delivery:

age 10 or 22

Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

By The Bidder

	Year: 1987 Make: 1/1NK Model: 2 + 1036-2-4PW
1.	Body: 1011 X 7 ft Hopper 10 gauge M. R. Steel, all welded
	emstruction, 45" slope on sides, flexible replaceable
	drag chien sealers over chien, gate has flexible edge approach astm
2.	Conveyor: 24" inside uptth, wear plate 3/16" with rollower plate & belt type wipe
	Chain: 2 1/4" Pitch highstrength pintle chain, 1/4 hardened steel pins,
	tension maintained by to spring loaded HDidler adjustments. 8 toothsprocket hydraulic ned
4.	Spinner: 20" diameter 3/16 thick with six replaceable vanes driven by
	high torque hydraulic motor. Coffeetors, quides I spirmer casily adjusted with no too
5.	Hydraulic System: 4as variable specificated us 4612 detent positions so pre-select
	settings can be obtained : cab insented.
6.	Drive: Tum separate hydraulic circuits 5 GPM for spreader and 206 PM for consejor
7.	Accessories: Slanted screen of S/16 mt/ with 21/2" so openings . Pressure type chair
	oiler with an quart capacity, three deflectors for spread pattern are include
	as standard equipment 7 yange steel inverted "V" held in place over
	conveyor her three bridge -to 360" x 2"

Alternate No. 1

Specifications Questionnaire Bidders Proposal - Must be Completed By The Bidder

	Year: /98/	Make: Inland Machine.	Model: LNC 5-H
1.	Moldboard Length:	10 feet	
2.	Moldboard Height:	18 inches	traje i i e
3.	Moldboard Thickness:	3/4"	
4.	Hinge Board:	10° wide	
	Hinge Shaft:	31/2" Tube 9/32	wall
6.	Actuating Cylinders:	H.D.3" Dia with	accumulator
7.	Cutting Edge:	1/2" X 6" X 10 ft std. C	
8.	Snow Scraper:	Hydraulically adjus	tuble
9.	Weight:	Approx 2000 #	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10.	Hydraulic Cylinder:	3" Z'ia 20 inch	stroke

Trencom Page alung ustry

2300 WEST JEFFERSON ROAD + FORT WAYNE, INDIANA 46804 + PHONE 432-9545





These Prices for Body Nounted on Truck Chassis; Dual 50 Gallon Fuel Tanks with 23" Ground Clearance; Rear Heavy Duty Tow Hooks Mounted; 10 Foot Dump Body; Hydrallics Mounted; Salt Spreader; Front Snow Plow; Under Chassis Scraper. All Prices Being Different They Were Not Included With Chassis Bid.

Fuel Tanks			Ş	450.00	Maximu
			\$	350.00	
Rear Tow Hooks			Ş	35,00	Pair
10 Foot Dump Body As Per S	pecs.			2936.79	
Hydrallics					Minimu
V-Spreader 10 Feet				5178.00	
Front Plow 10 Feet				3738.75	
Under Body Scraper				4178.07	
These Gould All Be Mounted On C	hassis	Total	\$	7,966.61	
DEEDS EQUIPMENT COMPANY					
Fuel Tanks			\$	590.00	
Rear Tow Hooks			\$	100.00	
10 Foot Dump Body As Per S	pecs.		\$	2970.58	
Hydrallics As Per Specs.	•		\$	1495.00	
V-Spreader As Per Specs.			\$	4691.70	
Front Plow 10 Feet			\$	3783.85	
Under Body Scraper			\$	4460.00	
These Could All Be Mounted On C	hassis	Total	\$	18,091.13	
W.A. JONES & SONS					
Fuel Tanks			\$	698.00	
10 Foot Dump Body As Per S	pecs.		\$	2823.00	
Rear Tow Hooks			\$	128.00	
Hydrallics			Ś	1785.00	
V-Spreader			S	4946.00	
Front Plow 10 Feet				4248,00	
Under Body Scraper				4279.00	
onder body beraper		5		10 007 00	-

These Could All Be Mounted On Chassis Total

46615.84

SPECIFICATIONS QUESTIONNAIRE

SPECIFICATIONS QUESTIONNAIRE BIDDERS PROPOSAL MUST BE COMPLETED Refer to Hydraulic BY THE BIDDER General: Body: 10' V Iprialia. (Cc Horman Infan.) 6:3 yd., Conveyor: Conveyor: Spinner: Hydraulic System: Let I Latin Jung shift.			Wage 19 of 22
Body: 10' Spreadic. (cc Horman, mfss.) 613 yd. Conveyor: Ith. Chain: Stal. Spinner:	General:	SPECIFICATIONS QUESTIONNAIRE BIDDERS PROPOSAL MUST BE COMPLETED / BY THE BIDDER	Refer to 966 St except Hydroulia
Conveyor: Js. Chain: Stal. Chain: Life Stal Ratio + 13g dia. Aller. Spinner:		, see	reuranus -
Conveyor:	Body:/0 /	V Spreales Ccc Horman	mfgs.)
Conveyor: Js. Chain: Jsl. Chain: Jsl. Spinner:	6	13 4.	
Chain: Std. Prive 13/4 Sheff 5 to 1 Retion of 13g " dia. Iller. Spinner:			
Chain: Std. Naive 13/4 Sheff 5 to 1 Ration of 13/8" Sia. Iller. Spinner:			
Chain: Std. Naive 13/4 Sheff 5 to 1 Ration of 13/8" dia. Iller. Spinner:	The second secon		
Chain: Std. Naive 13/4 Sheff 5 to 1 Ration of 13/8" dia. Iller. Spinner:	5%		
Chain: Std. Naive 13/4 Sheff 5 to 1 Ration of 13/8" dia. Iller. Spinner:	Conveyor:	H	
rive 13/4 Shaff 5 to 1 Ratio 4 13/8" Sia. Iller. Spinner:	V		
Spinner:	Chain:	bld.	
Spinner:	Divid 13/4 D	1.H CTIPT. 41	3, 11 15 000
	120	of ser mario	g au. claver.
Hydraulic System: w/ Three fung shaff,	Spinner:		
Hydraulic System: w/ thrus from shaff.			
Hydraulic System: w/ three fung shaff,			
Hydraulic System: not those from shaff,		and an annual control of the same and the same	
george growings	Hydraulic System	: not three same she b	
	-	- January Mary	

				^	- 1	
		٠.				
			Tota	Price (1) Or	ne Unit:	\$
			Less	Tax:		\$
			Less	Discount:		\$ 7
			Net F	Price (1) One	Unit:	S546
				.4	1, 1	
	er 7	ach o-	10 Dans	allowed.	,	
,	210	, engre -		-		

.j.i .j. FORM DP29 5-68 ULLL UT TUTL WATIVE DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind.
INVITATION

46802

DEPARTMENT OF PURCHASES

Coordinate subject to the conditions on the reverse hereof, are requested on the following list of Chocarons, suppose to be southern as the construct on the department as mentioned, with delivery to destination

as shown below. Quotations shall include all charges for delivery, packing, etc. Access your reply as bez selice: Ils IlsN° Aaron M. Gluck 423-7037

Room 940, Number One Main St., Ft. Wayne, Ind.

REQUIRED FOR DELIVERY TO:

Department Street Department or Division

1701 South Lafavette Street Fort Wayne, IN 46803 Address

RETURN ORIGINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FILE

Wednesday, December 17, 1980 at 2:30 PM Time of Bids tares: the cit is exempt yeom yideral ricies and indiana stats salis tax the citts indiana salis tax exception Certificate number is no. 1444, prices should not include there takes, so "execution to Edder" No. 10 co impro band to deale. TAX EXEMPT (Unless otherwise indicated) Ownstity Tinia Materials, Supplies, Equipment or Services. One (I) New 1980 Single Axle Heavy Duty Dump Truck, Front Mounted Snow Plow. Hydraulic "V" Box Material Spreader. Crankshaft, P.T.O. Hydraulic System, Including Dump Bodies as per attached specifications. Alternate #1 \$4.385.00 One (I) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications. Alternate #2 \$5,065,00 One (I) New Dump Body with Length of 15 Ft, as per attached specifications. Alternate #3 1st Unit \$3,883.00 One (I) or Two (2) Hudraulic "V" Box Material Spreaders as 2nd Unit \$4,378.00 per attached specifications. *see page 20 of bid form. AHI Specification & Questionnaires must be fully completed for Consideration. Affirmative Action: On File: Attached: Bld Bond required | | Performance Bond See instruction item No. 15 on reverse tide hereaf. Terms Net % cash discount if paid within 30 days from delivery and acceptance of goods or completion of services.

PROPOSAL OR BID

In compiliance with the above invitation for bids and subject to all conditions thereof, the undersigned offer and express if this bid he accepted within a rescensible time from case of closing, to trustice any one all of the items or runder such services upon valual prices are quoted, in accordance with the updifications applying and as the price set opposite sean time.

Delivery of any or all of the items or completion of services indicated shall be made within_days from receipt of order 😇 As delivery may be a deciding factor in the award of an order, it is important that biddeers furnish the information requested above. IMPORTANT

	/	Man Zere	2							
	_/			DEE	9S	EOUI	PME	NT	CO	.I
2	P:	Ju.B.	REXINAN	in cd Com	7	PB	ESI	DEN	T	-
1	<u> </u>	8015	EAST	45TH	ST	REET			-	-
Katy	od	LAWRI	ENCE,	TNDI	TNA			12/	17	/ 0 /
atz.							Dese	12/	1//	(0)

Page 1 of 22 .

966-G

Data December 4, 1980

Date wanted Dec. 17, 1983

Ref. No. :

Fund

Appropriation No.

10 Ft.

20 ln.

.in heat treated high carbon

10" wide. 30 lbs. per ft.

150

Alternate #1:

2.

Moldboard Length:

Moldboard Height:

Hinge Board:

Hinge Shaft D:A

Moldboard Thickness:

Weight: Approximately 1400 lbs.

Underbody Mounted Snew Scraner

Acuating Cylinders: Two H.D. 3" dia. Double acting with cushion spring shock

Cutting Edge: Two section 1" x 6" x 10 Ft. standard O.S.H.O. punch Snow Scraper: Hydraulically adjustable to several positions

Power reverse actuated by one 3 3/4" diameter hydraulic cylinder

absorbers.

The Snow Scraper Furnished Under These Specifications Shall Have The Following Minimum Specifications:

		ground to bottom of truck	frame	between the front and rear w	heels.
		The price of installing t	he Snow	Scraper to Dump Truck shall	be included
		in Bid.			
			٠.	Total Price (I) One Unit:	\$ 4,085.00
				Price of Installation:	\$ 300.00
				Less Tax:	\$
				Less Discount:	\$
Deliver	у:	30 days .		Total Price of One (1)	s 4,385.00

The snow scraper shall be mounted directly to the frame of the truck by bolting with lock nuts and shall be operated by a control valve in the cab. The truck manufacturer shall provide 23" of free clearance from

Unit & Installation:

Alternate No. 1

Year: - 1980

Specifications Questionnaire Bidders Proposal - Must be Completed By The Bidder

1.	Moldboard Length: 10'
2.	Moldboard Height: 20"
	Moldboard Thickness: 1/2" heat treated high carbon steel
4.	Hinge Board: 10" x 30 lb. Structural Channel
5.	Hinge Shaft: 1½" High Carbon Steel
6.	Actuating Cylinders: two 3" diameter double acting horizontal mounted hydra
7.	Cutting Edge: ½ x 6" with Standard USS punching

Make: Root Spring Scraper Model: F-55

- locked by two heavy duty shear pins; seven plowing positions; Snow Scraper: cushioned by two Heavy Duty patented cushion-spring shock as-
- Weight: approximately 1400 lbs.
- 10. Hydraulic Cylinder: Power reverse actuated by one 3 3/4" diameter hydraulic cylinder

New But Not Necessarily Current Model. The Dump Body Furnished Under These Specifications Shall Have The Following Minimum Specifications:

١.	Length:					15 Ft.	
2.	Width:					7 Et.	
3.	Capacity					12 Yd.	
4.	Headlift T	73132 telesco	opic hoist - 29	ton or equal			. * .
5.	Shield:		(8)			½ Cab	
6.	P.T.0.:					2 Gear	
7.	Color:					Omaha C	range
8.	Controls,	lights, flaps,	, installation,	and warranty are	to be	included.	
			PECIFICATIONS QU PERS PROPOSAL MUS BY THE BII	T BE COMPLETED	. * *		
	Year:	1981	Make:	Harsh			Contractor Tandem Axl
1.	Length:	15 Ft.					
2.	Width:	7 Ft. 3	[n.	·			-

Length: 15 Ft.

Width: 7 Ft. 3 In.

Capacity: 12 - 14 Yard

Hoist: Front mount 74135 (T.B.E.A. Class 90 equivalent)

Shield: 1/2 Gab

P.T.O:- 2 Gear

Color: Omaha Orange

Controls, Lights, Flaps, Installation and Warranty: according to your specifications

Total Price (I) One Unit: \$5,065,00

Less Discount:

Less Tax:

5,065.00

Total Price of One(I) Unit

SPECIFICATIONS QUESTIONNAIRE

BIDDERS PROPOSAL MUST BE COMPLETED

BY THE BIDDER

The following meets your specifications entirely.

General: Highway Model E-2020, 10' Spreader consisting of a steel "V" box hopper body; horizontal spinner mechanism; separate hydraulic motor drives for spinner and body conveyor; a rigid steel framework to support the body & spinner mechanism; necessary hardware for mounting in 10'x7'bt.

1. Body: 10 ga. higrade steel w/double crimped too edge interlined w/former channel. Length - 10'. Width - 80" or more. Height - 50" or less. Slog not less than 45°. Hopper - 5.6 cu. yd. cap. water lever full. Body & conveyor electrically welded into a common solid unit. Formed supporting lacks of 10 ga. steel welded on 2' centers extending from bottom support channels to top of the sloping sides. Bottom support channels - 3" structural steel channel providing rigid base for the longitudinals & supporting Jacks. A 6" junior I beam shall extend from from to rear at the top center of hopper body & shall be welded in place thus providing a brace and hinge point for top screens. The rear of the hopper shall have an adjustable gate with a screw type jack allowing a positive gate setting.

- Conveyor: Shall be of 10 gauge higrade steel formed channel with top edge formed down over conveyor chain providing a chain shield to prevent material from entering chain links. Conveyor bottom shall be a replaceable 3/16" steel plate.
- 3. Chain: Shall be of formed alloy steel with heat treated hardened steel pins. The chain shall have a 4" adjustment range. Drive assembly shall be minimum 6 tooth, self-cleaning drop forged sprockets keyed to 2" diameter drive shaft. It shall be driven by a spin gear box with minimum 6:1 reduction ratio with machine cut hears in a shielded housing and running in oil. The idler shaft shall be of 1½" diameter with minimum 6 tooth self-cleaning sprocket opposite the welded sprocket.
- 4. Spinner: Shall be 18" diameter of larger disc of 10 gauge steel with 6 formed heat treated, replaceable flights. The disc is mounted on an easily replaceable hub connected directly to the gear type hydraulic drive motor. The drive motor shall be supported by formed heavy duty channel. Above the disc there shall be adjustable baffles to control direction of spread. The spinner hopper shall be fully enclosed and holted to hody sills. Drive shaft shall be telescopic providing height adjustments. Housing to be vertically adjustable also. The entire assembly shall be removable for easy storage and service.
- 5. Hydraulic System: The system shall have a variable speed spinner control to operate independently of conveyor speed. This control will be mounted outside of the spinner assembly to allow it to be pre-set and untouched by the operator. The oil not used by the spinner will go to the conveyor motor to allow 100% of oil pumped to be used. Conveyor speed will be direct function of hydraulic pump output. Manufacturer will supply are electric on-off-switch in eab. Relief valves will be present.

FROM

FORT WAYNE, INDIANA 46803 424-1590

Front Mount Show flow. Henke as per spec's except stranger

note: Leterature o Questionaire

Sess Hyd. for central

Monarch Hyd. add 261,36

REPLY

DATE: SIGNED

#3738.75

FROM

ERNST TRUCK EQUIPMENT

2727 McDONALD ST. FORT WAYNE, INDIANA 46803 424-1590

SUBJECT: 966 St city of Ff Wayne, Street Dephate: 12-15-80
Central Hydroulies (Gresen) bourt (100 %)

as per Deed's egt speis listed in bid speiss

oplion-Deluge- no Head system w/larger forte & oplion - Deluge - no Head system w/larger forte & option 185000

PLEASE REPLY TO -> SIGNER B Each - Myr - Future recommendation 2250

REPLY

DATE: SIGNED

GRAYARC CO., INC., BROOKLYN, N. Y. 11232

THIS COPY FOR PERSON ADDRESSED

I F	PNST TRUCK EgT. During	47.0		
	or lash a print	12 -16 -	- 57	25
10 Mayor			-5)	
	To Be Used For	THE REPORT		To Die
They Order No.	When Wanted 30 To 45 William Classics	9130g		
1. 2. 2. 2. bit FALL	ause Mila Torna This Via			715.35
ex -: Chyania	FULL DESCRIPTION	1210	-	Last
學学/	Vader Boy Julan scrape Hade			16
ecs:	as per your or equal HD against	1703-1		
3.5	note Dellarence listed			
2	mid For Ff Wayne			1.
3	lase Hyd for Central Hyd.	194178	(d)	- 2
	The long of the contract of th	1		
\$.				
A Day	5,416 0 1 - 410 0		-	-
# # 2	7 X 15 Perf 244P Dump as per sp	200		
	w/2 cdf + 13132 House ste			
<u> </u>	installed we spec 2 year free	in 2		20
¥.	Subricated 810 for automatic 12	23122		
	Omaha Orange etc.	\$5358	3/	
moter				,
M. Parsage	PC46A Same as above except 10/1 delle	#		-
- 1	95.	000		
per Package	PC 46 Same as above specif 14 yo del	الريا		7
V	\$120	3 22		
127 73			-	
	10/1/0. 1 201 9/1 9/1	-1/-	-	
5	10 V spreader as per 100 it light	7		<u> </u>
	charges noted & wy Hydraul	ed		
	10'V Spreader as per 966 If exchanges noted & wy Hydraul			
9,45j		15461	00	
PA .	×			-
20.0				1.0
A STATE OF THE STA	K PRINTING CO CHICAGO 60514			-
MATTICE PROPERTY AND MATTICE	Bushordsed Buthordsed			1
	Dopt, Head		Francisconi	mag
	ORIGINAL			

FRNS 7RK E 97

Prochage Color to

10 Date 12-76-78

To Be Used For 100-11 Date

To The Wangs Ind Terms

Point A Wangs Ind Terms

FULL DESCRIPTION

POINT DESCRIPTION note: Classe mit be applicable to contral try the applicable to gran appear. Heb I Est. - for chassis 7×10 Perfection Dung as per species
15 Tom Haist less had installed dung only 2936 29 optim - PC-25 Same Super 720 12 Tun Hoish dallel, 15,122 optim D/A - Power down all 1752 10 Henke HD Inow Plow. Hervier Duly than specific central lus Hyd, as per specif & or equal - les literature etc. \$3735.75 -10' Horman Saltypreader as per speces we listed exceptions HD & or equal Base Hyd. (for central) mll / TWome 515178 out spreade Herdraulic - Gresen (1000 less) choice & or Munice Central Hubraulic as per Deed's to specy little Installed Bid 9/450 00 rates - Feconomic special Products totalisty 1850 Therton-Approved Dopl, 1
ORIGINAL ORIGINAL Copy for Dealers

FORT WAYNE, INDIANA 46803

GRAYARC CO., INC., BROOKLYN, N. V. 11232

424-1590 PLEASE REPLY YO REPLY

DATE:

SIGNED

THIS COPY FOR PERSON ADDRESSED



Two Perfection Jobhandlers for standard and medium-duty bodies. They provide excellent load stability under rated conditions shown on back. Check these features:

Perfection's special double-shear weld-on type hinges, made to weld directly to the I-beom longitudinols.

Wider, stronger all-welded double lifting arms designed to shoulder the load.

The upper hoist brackets are bolt-on type, tied directly into the body's 1-beom longitudinols, to distribute stress throughout the body floor.

An all-steel welded hoist sub-frame, ideal for obsorbing thrust and shock, is full length and width, for o firm bose on the chossis.

Perfection's superior quality seomless cylinder, precision-honed, encosing o heavy duty 3-ring piston, far smooth, dependable action.

The crossheod, point of greatest stress, has a full-width bearing, extra sturdy malleoble iron cosing. 1-beam section malleable iron casting lift links, operating on

securely anchared steel shafts. Bolted, low-pressure cylinder head design, easy to remove for

service if necessary.

CITY OF FORT FORM DP23 1-68

DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind. INVITATION

Concestions, whilest to the conditions on the reverse hereof, are requested on the following list of materials, numbers, equipment or services, for the department as manifored, with delivery to destination as a theory bloom, or constaines shall be inche all charges for delivery, peaking, etc. Assires your reply as incipated below.

Wednesday, December 17, 1980 at 2:30 PM

*Mail all trolles and correspondence, on to Att. of ... Aaron M. Gluck 423-7037 DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, ind. REQUIRED FOR DELIVERY TO:

Department or Division Street Department

1701 South Lafayette Street Address . Fort Wavne, IN 46803

RETURN ORIGINAL TO THE CITY-RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bida TAXES; THE CITY IS KINDET FROM FINERAL EXCITE AND ENDIANA STATE SALES TAX. THE CITY'S INDIANA SALES TAX EXCEPTION
CESTIFICATE NUMBER IS NO. 1450A PRICES SHOULD NOT INCLUDE THESE TAXES, See "Empresses to Ready" No. 16

One (I) New 1980 Single Axle Heavy Duty Dump Truck, Front Body Mounted Snow Plow, Hydraulic "V" Box Material Spreader, Plow Crankshaft, P.T.O. Hydraulic System, Including Dump Bodies as per attached specifications. Spreader Stream Stream Central Hyd. One (I) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications. Alternate \$1 Central Hyd. One (I) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications. Alternate \$2 One (I) New Dump Body with Length of 15 Ft, as per attached specifications. Alternate \$3 One (I) Or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate \$3 One (I) Or Two (I) Or T	Chantity	Unit	Materials, Supplies, Equipment or Services	Units Pries	Total
State Stat				.1	
Alternate \$1 One (1) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications. Alternate \$2 One (1) New Dump Body with Length of 15 Ft, as per attached specifications. Alternate \$5 One (1) or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. All Specification & Questionnaires must be fully completed for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			Crankshaft, P.T.O. Hydraulic System, Including Dump Bodies	3738.75	
Alternate \$1 One (1) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications. Alternate \$2 One (1) New Dump Body with Length of 15 Ft, as per attached specifications. Alternate \$3 One (1) or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. All Specification & Questionnaires must be fully completed for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			Spreader		
Alternate #2 One (I) New Dump Body with Length of 15 Ft, as per attached specifications. Max. Alternate #3 One (I) or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. Alternate #3 One (I) or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. Section #461.00 Alternate #461.00 Affirmative Action: On File: Yes Attached: Attac			Alternate #1 Central Hyd.	1450.00	
Alternate \$2 One (1) New Dump Body with Length of 15 Ft, as per attached specifications. Alternate \$3 One (1) or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. All Specification & Questionnaires must be fully completed for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			One (I) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications.		
specifications. Alternate \$3 One (1) or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. All Specification & Questionnaires must be fully completed for Consideration. Total (one each 7) Affirmative Action: On File: Yes Attached:			Alternate #2	4178.07	
Alternate \$5 One (1) or Two (2) Hydraulic "V" Box Material Spreaders as per attached specifications. All Specification & Questionnaires must be fully completed for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			One (I) New Dump Body with Length of 15 Ft, as per attached	.	
One (I) or Two (2) Hudraulic "V" Box Material Spreaders as per attached specifications. All Specification & Questionnaires must be fully completed for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			Max.	5358.81	
per attached specifications. All Specification & Questionnaires must be fully completed for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:					
All Specification & Questionnaires must be fully completed for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			One (I) or Two (2) Hydraulic "V" Box Material Spreaders as	. 0	
for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			7	5461.00	
for Consideration. Total (one each ?) \$28301.42 Affirmative Action: On File: Yes Attached:			All Specification & Questionnaires must be fully completed		-
Affirmative Action: On File: Yes Attached:			for Consideration.		
				8301.42	
NO YES			Attirmative Action: On File: Yes Attached:	•	
	Rid Bond	irod	NO YES 50 Partomana Part CI IIS		
	Terms	10	cash discount if paid within 10 days from delivery and acceptance of goods or com	to cottelm	garricas

days from delivery and acceptance of goods or completion of services.

PROPOSAL OR BID In compliance with the above invitation for bids and subject to all conditions thereof, the undestigned offer and arrows. If this bid he assessed within a reasonable manufacture with the positional properties applying and as the properties of the positional party of the positional properties applying and as the properties are applying and as the properties are applying and as the positional properties are properties.

Delivery of any or all of the items or completion of services indicated shall be made within! days from receipt of order IMPORTANT F

As delivery may be a deciding factor in the award of an order, it is important that biddeen furnish the information requested above. Ernst Truck Equipment Inc/ Man Zores Ft. Wayne Tax Payer -

Name of Company Mer - Treas. Kenneth B. Ernst Address 2727 McDonald St. 12-16-80 Ft. Wayne, Ind. 46803

966-G

Data December 4, 1980

Date wanted Dec. 17,

Appropriation No. .

Ref. No.

Fund

Specifications For Hydraulic "V" Box Material Spreader

charle tuttle 419 738 8108

General - The spreader shall consist of:

A steel "V" box hopper body; horizonal spinner mechanism; separate hydraulic motor drives for spinner and body conveyor; a rigid steel framework to support the body and spinner mechanism; necessary hardware recommended by manufacturer for mounting in a $10^{\circ} \times 7^{\circ}$ dump. body.

The Spreader Shall Meet Or Surpass The Following Specifications:

1. Body: 10 Ga. hygrade steel with double crimped top edge interlined with formed channel. Body length shall be 10'. Body width shall be 80' or more. Body height shall be 50' or less. Body slope shall be not less than 45°. Hopper shall have 5.6 Cu. Yd. capacity water level full. Body and conveyor are to be electrically welded into a common solid unit. There shall be somed supporting jacks of 10 Ga. steel welded on 2' centers extending from the bottom support channels to the top of the sloping sides. The bottom support channels shall be 3" structual steel channel providing a rigid base for the longitudinals and supporting jacks. A 6" junior I

bottom support channels shall be 3" structual steel channel providing a rigid base for the longitudinals and supporting jacks. A 6" junior I beam shall extend from front to rear at the top center of hopper body and shall be welded in place thus providing a brace and hinge point for top screens. The rear of the hopper shall have an adjustable gate with a

screw type jack allowing a positive gate setting.

 Conveyor: Shall be of 10 Ga. higrade steel formed channel with top edge formed down over conveyor chain providing a chain shield to prevent material from entering chain links. Conveyor bottom shall be a replaceable 3/16" steel plate.

3. Chain: Shall be of formed alloy steel with heat treated hardened steel pins.

The chain shall have a 4" adjustment range. Drive assembly shall be minimum 6 tooth, selfcleaning drop forged sprokets keyed to 2" diameter drive shaft. It shall be driven by a spin gear box with minimum 6:1 reduction ratio with machine cut gears in a shielded housing and running in oil. The idler shaft shall be 1 1/2" diameter with minimum 6 tooth self cleaning sproket opposite the welded sprocket.

in oil. The idler self cleaning sproke self cleaning sproke self cleaning sproke self cleaning sproke to the drive acceptaceable hib con The drive motor shall

Spinner: Shall be 18" diameter or larger disc of 10 Ga. steel with 6 formed heat treated, replaceable flights. The disc is mounted on an easily replaceable hib connected directly to the gear type hydraulic drive motor. The drive motor shall be supported by formed heavy duty channel. Above the disc there shall be adjustable baffles to control direction of spread. The spinner hopper shall be fully enclosed and bolted to body sills. Drive shaft shall be telescopic providing serveral height adjustments. Housing to be vertically adjustable also. The entire subassembley shall be removable for easy storage and service.

5. Hydraulic System: The system shall be a variable speed spinner control to operate independly of conveyor speed. This control will be mounted outside of the spinner assembly to allow it to be pre-set and untouched by the operator. The oil not used by the spinner will go to the conveyor motor to allow 100% of oil pumped to be used.

Portack 5. I

Conveyor speed will be a direct function of hydraulic pump output.

Manufacturer must supply an electric on-off switch in the cab. Relief valves must be present to insure componet safety from extremely high pressures. Central hydraulics will be furnished by city and spreader shall have necessary hoses, valving, and fittings to hook up to central hydraulic system.

- 6. Drive: Separate hydraulic "orbital" type motors for high starting and running torque at low speed shall power the spinner and conveyor gear box.
- 7. Accessories: Screens over hopper slightly elevated at the center allowing large objects to roll off the box. Unit to be equipped with "belt over chain" conveyor to protect conveyor and chain. An automatic chain oiler, if available, is also asked for. 4 section baffle system to control width and direction of speed. Inverted "V" adjustable to reduce load pressure on conveyor.

Dump Body

The Dump Body furnished under these Specifications shall have the following minimum Specifications.

- 1. Length 10 ft.
- 2. Width 7 ft.
- 3. Capacity 5 Cu. Yd. with 6 Cu. Yd. ends
- 4. Hoist 14 Ton
- 5. Shield 1/2 Cab
- 6. Color Omaha orange

Year: 1980 0 81

1. 2. 3. 4. 5. 6.

7. Clearance lights, reflectors and flaps to be included

Specifications Questionnaire

Bidders Proposal - Must Be Completed
By The Bidder

Model: 244 for 234 f.

Make: Parfection

Length: /Q	
Width: 7	
Capacity: 5yl w/ 6 yl ends	·
Hoist: 835 - 15 Ton	
Shield: 1/2 Cal-	
Color: Ornsha Drange	
Clearance lights, reflectors and flaps to be included:	
Juc Hyl. 244 P > Package Voit 12 Ton Debut. 15100 NA Power down add 417500	# 2934,79
**	

то

FROM 27 Cash on 10 Days ERNST TRUCK EQUIPMENT 2727 McDonald ST. FORT WAYNE, INDIANA 46803

SUBJECT: 766 St. Spreader less Hyd. DATE: 12-15-80.
FOLD & C & Hornian 10' V Lolt Spreader as per species
w/ some exceptions (see 966 & alf #3)
lpreed no hydraulies. To be equiped to
Central.

Complete #5178 00

PLEASE REPLY TO SIGNED XIS Crush - Mys.

REPLY

DATE:

SIGNED

GRAYARC CO., INC., BROOKLYN, N. Y. 11232

Alternate No. 1

Specifications Questionnaire Bidders Proposal — Must be Completed By The Bidder

	Year: 1981	Mak	e:R	ot	Model: F-55	
1.	Noldboard Length:				 	
2.	Moldboard Height:	17	11			
3.	Moldboard Thickness:	**	11			
4.	Hinge Board:	11	*17			•
	Hinge Shaft:		н			-
6.	Actuating Cylinders:	11	tr .		 and a second	
	Cutting Edge:					•
	Snow Scraper:		11	-	*	-
9.	Weight:	n	ŧr			
	Hydraulic Cylinder:		**			

10 Ft.

20 In.

130

½" heat treated high carbo

10" wide, 30 lbs. per ft.

\$ 4460.00

Alternate #1:

| Moldboard Length:

2. Moldboard Height:

Hinge Board:

8.

Hinge Shaft D:A

Moldboard Thickness:

9. Weight: Approximately 1400 lbs.

Underbody Mounted Snow Scraper

Acuating Cylinders: Two H.D. 3" dia. Double acting with cushion spring shock

Cutting Edge: Two section 'z" x 6" x 10 Ft. standard O.S.H.O. punch

Snow Scraper: Hydraulically adjustable to several positions

absorbers.

The Snow Scraper Furnished Under These Specifications Shall Have The Following Minimum Specifications:

	~			
10.	Power reve	erse actuated by one 3 3/4" di	ameter hydraulic cylinder	
	NOTE:	The snow scraper shall be more	unted directly to the frame of	the truck by
		bolting with lock nuts and sl	nall be operated by a control v	alve in the
		cab. The truck manufacturer	shall provide 23" of free clea	rance from .
		ground to bottom of truck fra	ame between the front and rear	wheels.
		The price of installing the S	Snow Scraper to Dump Truck shal	l be included
		in Bid.		
			Total Price (I) One Unit:	\$
			Price of Installation:	\$
			Less Tax:	\$
			Less Discount:	\$

Total Price of One (1) Unit & Installation:

Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	Year: 1981	Make	e:R	oot		Model: B	T-62	
1.	Moldboard length:	Per	dpacs		-			
2.	Moldboard height:	H	11					
3.	Moldboard Thickness:	#1	11					
4.	Cutting edge:	11	11					
	Number and thickness of r							
	Bottom reinforcing angle:							
7.	Top reinforcing angle:		\$1	**				
	Semi-circle:							
	Number and size of hinge							
	Hinge Spread:							
	Adjustable trip springs:							
	H.D. rubber snow shield:						:	
	Wheel & Tires:							
	Adjustable hydraulic plow							
	Weight - plow only:							10

Front Mounted Snow Plow

The Snow Plow Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- Moldboard length 10 ft.
- 2. Moldboard height 36 In.
- 3. Moldboard thickness 10 Ga.
- 4. Cutting edge 1/2 In. x 6 In. x 9 ft. Standard A.S.H.O. Punch
- 5. Number and thickness of ribs 8 ribs 1/8 In. x 3 In.
- 6. Bottom reinforcing angle 5/8 In. x 3 In. x 4 In.
- 7. Top reinforcing angle 3/8 In. x 2 1/2 In. x 2 1/2 In.
- 8. Semi-circle 3/8 In. x 3 1/2 In. x 3 1/2 In.
- 9. Number and size of hinge points 4 of 1 In. dia.
- 10. Outside demension of hinge spread 77 In. min.
- 11. Two H.D. adjustable trip springs in protective steel cylinders
- 12. H.D. rubber snow shield
- 13. Screw adjustable ballbearing wheel with 4.80 x 8 In. 6 ply pneumatic tires on a swivel caster
- 14. Plow hydraulically adjustable to 7 plowing positions with 2 cylinder cab control
- 15. Weight plow only approximately 1500 lbs.

The plow shall be mounted to the front bumper with a 34 In. wide root quick hitch or equal. Reinforcing shall be at the bumper and truck frame. No attachment to the front axle will be permitted. The plow hitch shall be operated by its valve inthe truck cab.

Less Tax:	\$
Less Discount:	\$
Net Price One (1) Unit:	\$ 3783.85
the second secon	

Total Price One (1) Unit:

Delivery:	60	to	90	days	from	recipt	of	order
Warranty:								

1040 10 01 44

Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

Year: 1981	Make: H	ighway	Model: E-2020	
Body:	Per specs			
Conveyor:	Per specs	1		
				
	Per specs			
	m: Per specs			
	Per specs			
	Per specs			

REPLY MESSAGE

٠	This form available fro	m Grayare Co., Inc., A Sub	sidiary of Dictaphone Co	C. rporation, 882 Third A	ve Brooklyn ti V	
rDe ° al	nny M len Cour	tiller ty mtri	7 1	FROM ERNST FOR	TRUCK 2727 McDON T WAYNE, IN 424-15	EQUIPMEN IALD ST. IDIANA 46803 90
FOLD A Diene	City of	- 2936,79	el. I	alt.	DATE: 1 #/ lu body.	12-16-80 scraper 4178
Front /	Ploco-10' - reader 10'- I Hyd. m	3738,75 51782	4.	781	7 2 5 Dang See she	Just 5358. Li optim
	**************************************		Change 21	Cuel Tank		20 th 20 th
PLEASE R	REPLY TO	SIGNED	SPE EM	1 mys	Bar Tow !	Youks 3500
REPLY						
	* .					
					185	
DATE:		SIGNED				

ТО

FROM 25 cash a 10 Daga ERNST TRUCK EQUIPMENT 2727 MCDONALD ST.

> FORT WAYNE, INDIANA 46803 424-1590

SUBJECT: 966-L alt #1- city of F/Wayse DATE: 12-15-80

FOLD & Juland underbody scraper blade
as per species or equal HDapprox 1900#

note difference listed.

mote difference listed.

mote difference listed.

for F/Wayse

Less hydralice (for central) # 4178,07

PLEASE REPLY TO -> SIGNED 2/8/Ernsh- Mys.

DATE:

GRAYARC CO., INC., BROOKLYN, N. Y. 11232

SIGNED

DEPARTMENT OF PURCHASES ther One Main St., Ft. Wayne, Ind., 46802

Number One Main St., Ft. Wayne, ind. 468 INVITATION

Observing subject to the conditions on the reverse borned, are requested on the following list of manericals, murples, estimates to servines, for the observances as mentioned, with delivery to destination as those borne. Consisting shall tectibe all there for delivery, modeling, we. Another proving as a borne before the delivery between the consistency of the contract of the cont

*Mail all moline and Aaron M. Gluck 423-7037 DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, Ind. 46802

REQUIRED FOR DELIVERY TO:

Department
or Division Street Department

1701 South Lafayette Street

Address Fort Wavne, IN 46803*
RETURN ORIGINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FILE

Closing

Time of Bids Wednesday, December 17, 1980 at 2:30 PM

TAILS: THE CITY IS KINDOT FROM YEDERAL KNOIZE AND BRIANA STATE SALES TAX. THE CITYS ENDINA SALES TAX HICKOPTION CENTRALIZED TAILS. See "Instrusions to Robbert No. 10 on reverse barrel for details.

TAX E X E M P T (Unless otherwise indicated)

Country	Unit	Materials, Supplies, Deplyment or Services	Unit Prior	Total
1.		*		
		One (I) New 1980 Single Axle Heavy Duty Dump Truck, Front Mounted Snow Plow, Hydraulic "V" Box Material Spreader, Crankshaft, P.T.O. Hydraulic System, Including Dump Bodies as per attached specifications.	-	\$41,313.89
		Alternate #1 One (1) Underbody Mounted Snow Scraper with Moldboard Length 10 Ft., as per attached specifications.		4,460.00
		Alternate $\frac{\#2}{}$ One (1) New Dump Body with Length of 15 Ft, as per attached specifications.		
		Alternate #3 One (I) or Two (2) Hudraulic "V" Box Material Spreaders as per attached specifications.		8
		All Specification & Questionnaires must be fully completed for Consideration.		
		Affirmative Action: On File: Attached:		

Bid Bond required		53	Performance			
		See in	struction item No. 15 on reverse	aide bereof.		
Тетта%	cash discount	if paid within	days from deliver;	r and acce	ptance of	goods or completion of service

PROPOSAL OR BID

IMPORTANT &

In considerate with the flowe invitation for high and subject to all conditions thereof, the understand offers and arrange, if this high he accepted within a present in the from date of contain, to forming any or ultiful to the most present with parties to so contain and it is the conditioned analysis and a state of the containing and the internal parties are contained and the internal parties and the containing and the internal containing and th

As dailyery ma farmisa the in-	y be a desiding factor in the award of an order, it is important that bidders formation respected above.
7	Man Zeres
	International Harvester Co.
	Name of Company Salesman
	Address 333 So. Clinton St.
	Gr. Ft. Wayne, Indiana 46802 12-16-80

Page 1 of 22 .

966-G

Data December 4, 1980

Date wanted Dec. 17, 1980

Ref No

Fund

Appropriation No.

Dump Body

The Dump Body furnished under these Specifications shall have the following $\mbox{\sc minimum}$ Specifications.

- 1. Length 10 ft.
- 2. Width 7 ft.
- 3. Capacity 5 Cu. Yd. with 6 Cu. Yd. ends
- 4. Hoist 14 Ton

Year: 1981

- 5. Shield 1/2 Cab
- 6. Color Chaha orange
- 7. Clearance lights, reflectors and flaps to be included

Specifications Questionnaire

Bidders Proposal - Must Be Completed
By The Bidder

	Model:
1.	Length: 10°
2.	Width: 7'
3.	Capacity: 5 cubic yards with 6 yard ends
1.	Hoist: 14 Ton hoist
ō.	Shield: 5 Cab shield
6.	Color: Omaha orange
7.	Clearance lights, reflectors and flaps to be included: Per specs

26.	Huffler: Per spece
27.	Reinforced Frame: Inverted L reinforcement
28.	Crankshaft: Front Mounted PTO adapter
29.	Bumper: 24" front frame extension with swept back front bumper for PTO. Bolt on
30.	Step Tanks: 2-50 Gallon step tanks with 23"ground clearance
31.	Power Steering: Yes
32.	Tires: 10-20 tires, Goodyear XTRA Grip Hi-Miler on rear
33.	Transmission: MT-653 Allison automatic transmission
34.	Cast Wheel: Yes
35.	Seals: Stemeo
	Service Manual: Yes
	Line Set Ticket: Yes .
	Tow Hooks: Two front tow hooks and one rear tow loop
	Color: Omaha orange
	Minimum 23" ground clearance for underbody: Yes
41.	Blade installation: Deads Equipment Co. at LaPaz, Indiana

ext

Specifications Questionnaire Bidders Proposal — Must be Completed By The Bidder

	Year: 1981 Make: Int'l Model: 1854
1.	Wheel Base: 152"
2.	Cab to Axle: 84"
3.	Front Axle: 12,000 lb
4.	Front Springs: 12,000 lb
5.	Rear Axle: 23,000 lb rear axle
6.	Rear Springs: 23,500 lb springs
7.	Auxiliary Springs: 4500 lb auxilaries
8.	Brakes: Air brakes, 16½ x 7 rear, 15 x 4 front, air emergency
9.	Compressor: 12* Compressor
10.	Hood: Fiberglass front hood with access hatches
11.	Fresh Air Heater and Defrosters: Yes
12.	Windshield Wipers and Washers: Yes, 2 Speed electric
13.	Cab grab handles: Yes
14.	Dual West Coast Mirrors: Yes
15.	Air Horn: Yes
16.	Bostrom Driver Seat: Yes with passenger seat
17.	Individual Passenger Seat: Yes
18.	Automatic Radiator Shutters: N.A. with front mounted PTO
19.	H.D. Radiator: Yes
20.	Alternator: 80 Amp
21.	Batteries: 2-12 Volt 104 amp hour
22.	Tachometer and Hour Meter: Yes
23.	Diesel Engine: THC DT_465 cubic inch,,6 Clyinder diesel engine 210 H.P.
24.	Evaporator: Alcohol evaproator
25.	Alarm system or equal: Kysor engine shutdown

. Hydraulic System Cont'd:					
			•		
				_	
	,			-	
· · · · · · · · · · · · · · · · · · ·			-		
First Unit with Central Hydraulics	s	·	otal Price (I) One Unit:	\$3883,00
		t	ess Tax:		\$
		1	ess Discount:		\$
			let Price (1)	One Unit:	\$3883.00
Second Unit with thru shaft pump & hydraulics (not including P.T.O.				add	\$495.00
Screens ad	dd \$.	390.00 385.00 115.00		, t	· ·

Delivery: 30 days

Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	The state of the s
	Year: 1980 - 81 Make: Henre Model: 36 P/0
1.	Moldboard length:
2.	Moldboard height: 36
3.	Moldboard Thickness: 10 Ha
4.	Cutting edge: 1/2 X 8
5.	Number and thickness of ribs $8-\frac{1}{2} \times 3$
6.	Bottom reinforcing angle: 5/8 x 4 x 4
7.	Top reinforcing angle: 5/16 X 2-X 2
8.	Semi-circle: 1/2 x 3 1/2 x 3 1/2
9.	Number and size of hinge points: 4 - 14"
10.	Hinge Spread: Sct"
11.	Adjustable trip springs: (1 Trip spring) 2 compression of 1 rebound
12.	H.D. rubber snow shield:
13.	Wheel & Tires: 480 x 400 - 6 pg 16" Dia
L4.	Adjustable hydraulic plow: 2000 # cushin Value
ι5.	Weight - plow only: approf 1700
	Houston Helch (equal)
	P. Hal In Central 3738.25
	non central add 9261.36
	To PTI on Drive

Alternate #1:

Underbody Mounted Snow Scraper

The Snow Scraper Furnished Under These Specifications Shall Have The Following Minimum Specifications:

Moldboard Length:

IO Et.

2. Moldboard Height:

19" 20 In.

Moldboard Thickness:

3/4 !" heat treated high carbo

Hinge Board:

10" wide. 30 lbs. per ft.

Hinge Shaft D:A

Acuating Cylinders: Two H.D. 3" dia. Double acting with cushion spring shock absorbers.

Cutting Edge: Two section $\frac{1}{2}$ " x 6" x 10 Ft. standard 0.S.H.O. punch

Snow Scraper: Hydraulically adjustable to several positions

Weight: Approximately 1400 lbs.

Power reverse actuated by one 3 3/4" diameter hydraulic cylinder 3 3/4"

bolting with lock nuts and shall be operated by a control valve in the cab. The truck manufacturer shall provide 23" of free clearance from ground to bottom of truck frame between the front and rear wheels. The price of installing the Snow Scraper to Dump Truck shall be included in Bid.

The snow scraper shall be mounted directly to the frame of the truck by

Total Price (I) One Unit:

\$ 3678.07 \$ 500 00

Less Tax:

Less Discount:

Total Price of One (1) Unit & Installation:

Price of Installation:

54178.07

Specifications Questionnaire Bidders Proposal - Must be Completed By The Bidder

	Year: 1980 - 81 Make: Unland	Model: VBS-/0
1.	Moldboard Length:	MOUEL. V (2) 3 70
2.	Moldboard Height: 18"	
3.	Moldboard Thickness: 3/4"	
4.	Hinge Board: 12" X 3/4 X 10 &	
5.	Hinge Shaft: 3 2 OA Jubu	9/32 Wall.
6.	Actuating Cylinders: 3" X10	
7.	Cutting Edge: $2x - 2 - 5'$ $6''\omega$	lide)
8.	Snow Scraper: available	×
9.	Weight: <i>approx</i> 1900 #	
10.	Hydraulic Cylinder: 3" X 10" Stroke	

note: Units on order Used at De Kell-County High. Alternate #2:

New But Not Necessarily Current Model. The Dump Body Furnished Under These Specifications Shall Have The Following Minimum Specifications:

	nave the fortowing annual specifications:		
١.	Length:	15 Ft.	
2.	Width:	7 Ft.	
3.	Capacity	12 Yd.	
4.	Headlift T 73132 telescopic hoist - 29 ton or equal		
5.	Shield:	½ Cab	
6.	P.T.O.:	2 Gear	
7.	Color:	Omaha Ora	ange
8.	Controls, lights, flaps, installation, and warranty are to be in	cluded.	
	SPECIFICATIONS QUESTIONNAIRE BIDDERS PROPOSAL MUST BE COMPLETED BY THE BIDDER		
	. =/	Model:∠Z	44 8
١.	Length: /5 /		
2.	Width:	Κ.	
3.	Capacity: 12 4 w 10 \$ 14 yl opt	Cons	
4.	Hoist: 773132		
5.	Shield: 72 Cab-	7. (· · ·
	P.T.O.: 2 Hear Pressure but for autom	ule (special)
	Color: Omaha Orange,		
8.	Controls, Lights, Flaps, Installation and Warranty: Week.		
-			·
	2% cash on 10 Daz allowed Total Price (1) On	e Unit: \$	
	Less Tax:	\$	1
f	PC-46 A Package deduct 380° 10 4d Less Discount:	2	net.
,	Total Price of One(1) Unit w/ Hyd	(, s	5358,8

Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	Year: /98/	Make: Flink	Model: 2 PR-10-36-2-AP
1.	Moldboard length:	10ft.	
2.	Moldboard height:	36 "	
3.	Moldboard Thickness:	10 ga	•
4.	Cutting edge:	1/2× 6" × 10' ASHO B.	unched =
5.	Number and thickness of r	· // ".	
6.	Bottom reinforcing angle:	4" X3" X 1/2" wit	4 gussets 12 center -
7.	Top reinforcing angle:	3" Deep chinne	-
8.	Semi-circle:	31/2 X 31/2" X 1/2"	2
9.	Number and size of hinge p	points: 3 /1/4" Dra	+
10.	Hinge Spread:	75 inches	
11.	Adjustable trip springs:_	Three carron-typ	e Militaria in the
	H.D. rubber snow shield:		
13.	Wheel & Tires:	4.80x6 " Precentic	e de Magnissia
14.	Adjustable hydraulic plow	: Hydraulic ally adjustable	to 35° either direction
	Weight - plow only:	· ·	

Dump Body .

The Dump Body furnished under these Specifications shall have the following minimum Specifications.

- Length 10 ft.
- 2. Width 7 ft.
- 3. Capacity 5 Cu. Yd. with 6 Cu. Yd. ends
- 4. Hoist 14 Ton
- 5. Shield 1/2 Cab
- 6. Color Omaha orange
- 7. Clearance lights, reflectors and flaps to be included

Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	Year: 1981	Make: HEIL	Model: 1618 F5LF
1.	Length: 10'	λ	
2.	Width: 7'		
3.	Capacity: 5 40	- 640. ENDS	
	Hoist: 14		
5.	Shield: 1/2 CA	B SHIELD	
6.	Color: OMAK.	ORANGE	
7	Clearance lights, ref	lectors and flaps to be in	ncluded:
	AS P	ER SPECS	

Total Trice(1) one unit \$ 2823.

Div. Emmert Equipment, Inc. U. S. 30 Bypass, East

BOX 450, COLUMBIA CITY, IN 46725 219/2-7-7661 or 625-4011

ATT: DENNY MILLER

Address

WilsonJones

Soldto ALLEN CO. MTRS.

City FT. Wagne State IN. Zip

No. Quote
Date: 12-14-80

Sales Order

Purchaser's Order No.

Ship to

Address____

City _____State ____Zip ____

Remarks FT. WAYNE CITY Bip Ref #966-6 Terms

Sa	DICK K	Ship Via Date Requi	red	F.O.B.			
	Quantity	Stock Number/Description		Price	Per	Amoun	t
1	PAGE (4	422) Dune 50 GAL. STEPTHUKS W/23	GR. CLEARAN	XE.		698	00
2	PAGE (4	(22) 4 HEAVY OUTY Tow How	KS		145		1
3							
4	PA GE (7	(+22) 10' Oump Body AS	PER				T
5		ATTACHED SPECS			77.55	2823	00
6							
7	PAGE (8	(22) V Box MATERIAL 5PR	EAPER				1
3		AS PER ATTACHED SPEC	25		#	4946	00
9							
10	PAGE (11	of 22) CRANKSHAFT P.	T.0				
11		HYDRAULIE SYSTEM		•	15th	1,785	00
12						*	
13	PAGE (16	of 22) FRONT MOUNTED 5.	2000				
14		Plow AS PER ATTACHED	5 fies		A	4,248	00
15			. .			13.1	
16	PAGE 14	(of 22) ELNDER BODY MOUNT	ED				
17	•	SNOW SCRAPER AS					
8		ATTACKED SPECS			#	4,279	00
19		·					
έυյ	/er				Total		

Dantesto


	Carlot Service Control Carlot Service Control Carlot Control Carlot Carl	20		
			4-1	
	7.4-2.7/			
	and Reflect little			
	Frankling			
	lie Hos for land Hill		777	T
	Harris Contract Contr	3		Ť
			1	
4-7-12-11-	1) X 15 feet 244 P Dungs on w/2 Cdf + 13132 House of the antalled on see 2 miles Dubrick of 170 for automics to Omiles Orange ale	302	70	8
	w/2 Clf + TB132 Novel of			
	intalled we spec a must prove			
er in eren er	Subject 970 for action is from			数
-f	Comile Change elle	1527	177	
W. C. Bear	PC46A Some as above except 101 I Tollet		Abas Visas	
A STATE OF A STATE OF	The state of the s	Sesse a	100	
curtainage	P. C. 46: Same as above eper 14 of delice		10.15	1
334276	9,203		100	
ne is			- A	
	1-1-0	40.0		3
	10. V spreader as per 966 & excep		3	
	70! V Spreader as per 766 & gass charges noted & of Hydralling	4.0	1000 1000 1000 1000 1000	
	installed	78-7	7.3	
		35467	a - 24	
				15%
		3.5	24	
			3	
EXPERIENCES FOR BATTLES	PRINTING CO. COICAND CONT.		X	V.
				1-2

Dogs, Hoad

1200 and all the			
	40-17	W.	
	46.4	Taule X	
THE STATE OF THE S		3.0	
C B Joint			
Anna par de la	de la late		
Chara per attilis			
get of flowing of the			
note charge must be accurate		37.00	
Contral Had It in Processing		13.7	8/45
note of the most be cook as the state of the second as the			
MR By 7X10 Perletin Dung cross social			
as Body 7x10 Perfection Dump as per see		77	
installed dump only	2.27	20	
enter - Pe - 75 list from			2.5
installed dump only optim-PC-25 land years 7200 12 Tun Hoich deletet 192		2.00	(A) 2
of Old of Allerone			
The N/A - Tower down 130 1737			
option D/A - Power down all 1952 Manuflow 10' Henke HD I now Plow Henrier Duty than specie (In control liss Hat, as ser species on Land - Les Atraham etc.)	C-2 (247)	3.00	
Marke 17 1 how from			5000
Heavier Duly than special for contract	* 6 A 5		5
lus trust as per specy of or	700	300 T	
2 qual - des litrature of	33738	75	
		F	384
ant spreade 10 Horman lattippeder as per		1.42	33
special state exerctions			
Ha & or exual British	137		
Cho cettal) mil Filler	15778	00,	
Con certal) mid of theme	413-754	18.5	
rel Hydrauly - Those (1000 by) choice for Minne	12.40		
cot let have as per Deal for son	2000	1707	
Vital I that But I to	7450	201	
nel Hydraulic - Green, (100° Des) choice + or Munical control Hydroulic as per Des la 2 or 400. litted Installed Big 9 coster- Recovery special Module totaling 1850 hays	100		-A11-
THE CHICAGO SON THE THE THE THE CONTRACT OF TH	in Property	11.234	
Approved			
Dept. Heart CORIGINAL	265		10

ERNST TRUCK EQUIPMENT 2727 McDONALD ST. FORT WAYNE, INDIANA 46803

424-1590 SUBJECT: 966-4 alf # 2 afroftellague DATE: 12-15-80 by w T93132 tel Headlift held, 2 Gear Pressure lub PTO for automalic PLEASE REPLY TO -SIGNED -REPLY DATE: SIGNED GRAYARC CO., INC., BROOKLYN, N. Y. 11232 THIS COPY FOR PERSON ADDRESSED



18 matched body-and-hoist combinations, 2-to-18 yd., 4-to-30 ton capacities

TO

FORT WAYNE, INDIANA 46803 424-1590

REPLY

DATE:

SIGNED

GRAYARC CO., INC., BROOKLYN, N. Y. 11232

Memorandum

To	Aaron Gluck,	Purchasing Department	Date	December	22,	198

From George L. Underwood, Street Department

Subject Bid - 1981 Single Axel Heavy Duty Dump Truck

CORIES TO:

In reference to the bids on the 1981 Single Axel Heavy Duty Dump Truck, we would appreciate you taking Allen County Motors and Deeds Equipment Company into consideration; as we are pleased with services, dependability and parts availability for this equipment.

Rick Axt, Garage Supervisor

George D. Underwood, Street Commissioner

RA:isf

28,524.71 1271 1.00 16 6 5.71

Δdmn	Appr.	

DIGEST SHEET

TITLE OF ORDINANCE CIVIL CITY P.O.A-000556 ONE DUMP TRUCK FOR STREET DEPART.

181-02-02

ALLEN COUNTY FORD LOTORS, INC.
DEPARTMENT REQUESTING ORDINANCE BOARD OF PUBLIC WORKS
SYNOPSIS OF ORDINANCE CIVIL CITY P.O. A-000556 ONE DUMP TRUCK FOR STREET DEPARTM
THIS TRUCK WILL HAVE A "V" SPREADER AND SNOW PLOW. WHICH WILL HELP THEM WITH THE
WORK LOAD AND WEATHER CONDITIONS.
X
EFFECT OF PASSAGE THE STREET DEPARTMENT WILL HAVE (1) ONE DIMP TRUCK
WITH "V" SPREADER AND SNOW PLOW.
A SAMANA AND MANY AND
EFFECT OF NON-PASSAGE NONUSE OF VEHICAL
MONEY INVOLVED (DIRECT COSTS, EXPENDITURES, SAVINGS) \$46,615.84 from Street
Department Budget.
ASSIGNED TO COMMITTEE (PRESIDENT)